

Tender Number: T41/11/17

Tender description: Request for proposal for supply and installation of audio visual equipment

Question and Answers Version 3

No.	Question	Type	Answer
1	Can a bidder only bid for the supply of the necessary audio visual equipment or must the bidder bid for supply and installation?	Technical	The bidder must bid for the supply and installation of audio visual equipment as per the tender document.
2	May we offer an alternative solution, i.e. alternative models to the equipment models listed; or does it have to be the exact specification provided in the bid document?	Technical	It has to be exact specification provided in the bid document.
3	On page 17-18 paragraph 3 Table A indicates,17 Displays, 5 projectors without projector screens, No Audio Speakers on the list, no Microphones. We would like to understand their thinking. Executive boardroom there is no Displays on their list. Are we supposed to put a solution based on AMX or any trusted brand. The A108 boardroom there are no pop-ups on the list nor wireless presentation and no audio.	Technical	An assessment was conducted, and the items that are not requested in the tender document are currently available. Therefore, bidders are required to quote for the specified items only.
4	Can you please advise if we can supply a similar solution to the product that is being required? Specifically the Radvision VC system and the Avaya switch.	Technical	No, it has to be exact specification provided in the bid document.
5	We noticed that the RFP specification asks for AMX (NMX) equipment.Can we offer Crestron as an alternative?	Technical	No we cannot use Creston as we have standardized in AMX.